









Manufacturer/Aircraft	Main wheel	Size	P/N	Tire	Tube	Nose wheel	Size	P/N	Tire	Tube	Tail wheel	Size	P/N	Tire	Tube
SZD 50 Puchacz	Standard 5"	115-25	045255	5.00-5	5.00-5										
SZD 9 Bocian	or SB 5" retrofit	122-25	055192		TR67										
SZD 54 Perkoz, SZD 59 Acro	SB 5"	122-25	055145	5.00-5	5.00-5										
					TR67										
<b>PZL Swidnik</b>															
PW 5	Liliput 4"	88-17	044200	4.00-4	064692	LR 4"	85-17	034600	260x85	064292					
PW 6	Standard 5" or SB 5" retrofit	125-20 122-20	045400 055152	5.00-5	5.00-5	LR 4"	85-17	034600	260x85	064292					
					TR67										
<b>Rolladen-Schneider (TCDS holder: DG-Flugzeugbau)</b>															
LS 1a bis 1f	Liliput 4"	88-17	044200	4.00-4	064692										
LS 3	Liliput 4" 4" Kobold SB 4" retrofit	88-17 103-20 110-20	044200 044300 054111	4.00-4	064692										
LS 4/LS 6/LS 7	Kobold 4" SB 4" retrofit	103-20 110-20	044300 054111	4.00-4	064692						Moritz	50-20	032100	210x65	062093
<b>Ruschmeyer</b>															
R 90	SB 6"	163-40	056650	15x600-6	066492	LR 5"	125-30	035505	5.00-5	5.00-5					
										TR67					
<b>Scheibe (TCDS holder: Scheibe Aircraft)</b>															
SF 25 A Motorfalte	Super 6"	154-30	046100	6.00-6	066992						Max	50-20	033100	200x50	063093
SF 25 B Einbein	Super 6" or Gnom	154-30 213-30	046100 044800	6.00-6 8.00-4	066992 064792						Max	50-20	033100	200x50	063093
SF 25 C Zweibein	2x Standard 5"	130-35	045810	5.00-5	5.00-5						Moritz	50-20	032100	210x65	062093
SF 36					TR67						Max	50-20	033100	200x50	
SF 25 C Dreibein	2x Standard 5"	130-35	045810	5.00-5		LR 4"	85-20	034000	5.00-4	064392					
SF 25 E Superfalte	2x Super 6"	154-30	046100	6.00-6	066992						Moritz	50-20	032100	210x65	062093
SF 28 A Tandem-Falte	Gnom 4"	213-30	044800	8.00-4	064792						Moritz	50-20	032100	210x65	062093
SF 27	Liliput 4"	88-17	044200	4.00-4	064692										
SF 34	Standard 5" or SB 5" retrofit	113-20 118-20	AR045400 BS: Bremsscheibe TR67	4.00-4	064692	LR 4"	85-20	034000	5.00-4	064392					
Bergfalte III/III/V/Mu13	LR 4" or Kobold	103-20	044300	4.00-4	064692						Max or Moritz	50-20 20 mm Achse	033100 032100	200x50 210x65	063093 062093
Spatz	LR 4"	various		4.00-4											
<b>Schempp-Hirth</b>															
Cirrus Std. Cirrus	Liliput 4" 4" Kobold or retrofit Hydr. actuation	88-17 113-20	044200 044400	4.00-4	064692										

Abbreviations: SB = Disk brake wheel • BS = Brake disk • BB wheel = shoe brake wheel • LR = landing wheel

Explanation dimensions: 1st no: installation width at bearing in mm  
2nd no: bearing inner diameter in mm  
Tail wheels information: # means alternative installation: Max/Max II for 12 or 20 mm axle  
respectively Moritz/Moritz II for 12 or 20 mm axle

Important advise on tires and tubes:  
The dimensions of the tire are indicated e.g. 5.00-5; you have the choice between several brands, also refer to the table on page 42.  
For the tubes, the p/n is indicated in case it is definite. Otherwise, the dimensions of the tube are indicated, e.g. 5.00-5 TR67.  
You can choose the tube from different manufacturers, also refer to the table on page 24.





Manufacturer/Aircraft	Main wheel	Size	P/N	Tire	Tube	Nose wheel	Size	P/N	Tire	Tube	Tail wheel	Size	P/N	Tire	Tube
ASH 25	SB 5"	145-30	055161	380x150	5.00-5 TR67						Moritz	50-20	032100	210x65	062093
ASH 26/ASW 24/27/28 nur ASH 26	Cleveland Penta	40-78B 125 1 1/4	055572	5.00-5	065995						Moritz	50-20	032100	210x65	062093
ASG 29	SB 5" Penta	125-1 1/4"	055572	5.00-5	065995						Moritz	50-20	032100	210x65	062093
ASH 30	SB 6" Penta	138-30	056960	15x6;00-6	068792						Moritz	50-20	032100	210x65	062093
ASH 31	SB 5" Penta	125-1 1/4"	055572	5.00-5 10pr	065995						Moritz	50-20	032100	210x65	062093
ASG 32	SB 6" Penta	138-30	056960	15x6;00-6 10pr	068792						Max II Moritz	50-12 50-20	033112 032100	200x60 210x65	063192 062093
<b>Sportavia (Musterbetreuer: E.I.S.)</b>															
RF 5	Super 6" or SB 6"	154-30 151-30	046100 056161	6.00-6	066992										
<b>Sportine Aviacija</b>															
LAK 17 a/19/20	Standard 5" oder SB 5"	113-20 115-20	045100 055191	5.00-5 380x150	5.00-5 TR67										
<b>Stemme</b>															
S 10/S 10-V/S 10-VT	2x 5" SB-Standard 2x 5" SB Penta	124-30 120-30	055212 055544	5.00-5 380x150 GY	5.00-5 TR67						Moritz	50-20	032100	210x65	062093
S 12	2x 5" SB Penta	120-30	055544	380x150 GY	5.00-5 TR67										
<b>Zakłady Lotnicze Marganski &amp; Myslowski Bielsko</b>															
SWIFT	alternatively 5" SB retrofit	115-25	045255 055192	350x135 5.00-5	5.00-5 TR67						Moritz	50-20	032100	210x65	062093
FOX	SB 5"	134-30	055153	5.00-5	5.00-5 TR67						Moritz	50-20	032100	210x65	063092

Abbreviations: SB = Disk brake wheel • BS = Brake disk • BB wheel = shoe brake wheel • LR = landing wheel

Explanation dimensions: 1st no: installation width at bearing in mm Tail wheels Information: # means alternative installation: Max/Max II for 12 or 20 mm axle  
2nd no: bearing inner diameter in mm respectively Moritz/Moritz II for 12 or 20 mm axle

Important advise on tires and tubes:  
The dimensions of the tire are indicated e.g. 5.00-5; you have the choice between several brands, also refer to the table on page 42.  
For the tubes, the p/n is indicated in case it is definite. Otherwise, the dimensions of the tube are indicated, e.g. 5.00-5 TR67.  
You can choose the tube from different manufacturers, also refer to the table on page 24.